



# PAINING & COATING RANGE



Protecting you for life's **best** moments.

# Protecting you for life's best moments.

The everyday moments, the ones that make you smile, your drive in life.



Protecting you for life's best moments.

## RPB Painting & Coating Range

At RPB, we seek to revolutionize how you experience your workday by creating respiratory protective equipment that makes you safer and more comfortable, which enables you to push the boundaries of your profession and get more out of your day.

In our mission to protect you for life's best moments, we've grown to become the commanding power in respiratory protection across heavy industries with over 40 years experience helping you to breathe better.

The RPB Painting and Coating range is the world's most advanced protection for industry professionals, consisting of supplied and powered air respirators, air monitoring and filtration systems and safety essentials. RPB takes care of your safety, so you can focus on the task at hand.



**POWERED AIR**  
Page 26



**SUPPLIED AIR**  
Page 34



**Z-LINK®**  
Page 20



**T-LINK®**  
Page 8



**T200™**  
Page 14



Protecting you for life's best moments.

NO SMO

## Product Comparison



**T-LINK®**



**T200™**



**Z-LINK®**

|                                       |                                                                                                               |                                                                                                                    |                                                                                |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Air supply                            | SAR or PAPR                                                                                                   | SAR or PAPR                                                                                                        | SAR or PAPR                                                                    |
| Respirator type                       | Painting/Coating                                                                                              | Painting/Coating                                                                                                   | Painting/Coating                                                               |
| Available attachments and accessories | Comfort-Link™<br>Quiet-Link™<br>Comms-Link™<br>Vision-Link™<br>Peel-off lenses<br>Cassette lenses<br>Hard hat | Quiet-Slim™<br>Peel-off lenses<br>Cassette lenses<br>Bump Cap                                                      | Comfort-Link™<br>Quiet-Link™<br>Comms-Link™<br>Vision-Link™<br>Tear-off lenses |
| Head protection                       | <b>Optional hard hat</b>                                                                                      | <b>Optional bump cap</b>                                                                                           | <b>Integrated hard hat</b>                                                     |
| Hearing protection                    | <b>Clip-in earmuffs</b>                                                                                       | <b>Compatible with earmuffs</b>                                                                                    | <b>Clip-in earmuffs</b>                                                        |
| Eye protection                        | <b>Optional safety lens</b>                                                                                   | <b>Optional safety lens</b>                                                                                        | <b>Yes</b>                                                                     |
| Cape/hood types                       | DuPont™ Tychem® 2000<br>DuPont™ Tychem® 4000                                                                  | DuPont™ Tychem® 2000<br>DuPont™ Tychem® 4000                                                                       | DuPont™ Tychem® 2000<br>DuPont™ Tychem® 4000                                   |
| Assigned protection factor            | 1000                                                                                                          | 1000                                                                                                               | 1000                                                                           |
| Ideal for                             | Paint, high levels of over-spray.                                                                             | Paint, high levels of over-spray.                                                                                  | Low levels of over-spray.<br>Heavy industry, foundry, rail industry.           |
| Top-rated feature                     | Adjustable head protection provides comfort and ensures the hood moves with your head.                        | Movable lens positioning with a multiple adjustment point head harness for increased comfort and customizable fit. | Can be used for multiple applications.                                         |



Protecting you for life's **best** moments.



# RPB® T-LINK® RESPIRATOR


## Unrivalled respiratory protection.

The RPB T-Link has been designed to move with you, not against you. With your comfort and job our main focus, the T-Link transforms how you work, advancing your safety and increasing productivity.

Your ability to see has been at the forefront of our design process, with the T-Link boasting a large visor that enables you to easily connect with your surroundings. This is further supported by our Tychem® hood that securely attaches to the headtop, ensuring your downward and peripheral vision is never compromised. The soft breathable inner-bib and extra tuck-in collar ensures maximized comfort and helps to direct air down your body for cooling.

Fitted with a padded headliner and head suspension system, the headtop's weight is evenly distributed to enhance your experience of comfort, relieving you of aches and strains on your neck. Being fully adjustable ensures the respirator fits securely to all head sizes, maximizing stability and always moving with your head. Our innovative design ensures you have a greater range of movement, so you can focus on the task at hand.

The T-Link offers superior protection in all key areas:



Protecting you for life's best moments.




## Features & Benefits

Air flow and distribution is fully adjustable with the air deflector system to suit personal preference. ■

Padded headliner supports weight distribution while relieving you of the effects of any pressure points. ■

The optional Comfort-Link™ system provides extra comfort and stability providing optimum weight distribution.



Head suspension system can be adjusted for height and distance from the visor to support all head sizes and shapes. ■

Large viewing window for exceptional downward and peripheral vision. ■

Optically clear peel-off and cassette lenses available.

Optional ANSI Z87 approved safety lens (EN166). ■

Fixed lens frame ensures the lens will never hit your nose or optical aids being used. ■

■ Option of bump cap or ANSI Z89.1 hard hat protection (EN397).

■ Adjustable ratchet system ensures a customized fit that supports movement, while increasing comfort and productivity.

■ Breathing tube easily attaches to respirator and swivels to eliminate tangles.

Centralized location ensures even weight distribution.

■ Two cape materials available: DuPont™ Tychem® 2000, DuPont™ Tychem® 4000.

■ Soft, breathable inner-bib and long tuck-in collar for extra protection and upper body air flow.



All parts can be purchased individually for ease of maintenance and servicing.



Protecting you for life's best moments.

## Certifications

**ISO9001**  
CERTIFIED COMPANY

**NIOSH**  
National Institute for Occupational Safety and Health  
PAPR & SAR Type C

**ANSI**  
S3.19  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.

Z89.1  
HARD HAT PROTECTION  
Type 1 Class C  
Not all configurations conform to this standard. Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

Z87  
EYE & FACE PROTECTION  
Not all configurations conform to this standard. Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

PRODUCT CERTIFICATION



BSI Certified Product  
AS/NZS 1716:2012  
BMP# 714303  
RESPIRATORY PROTECTION

AS/NZS 1801:1997  
BMP# 714306  
HARD HAT PROTECTION  
Not all configurations conform to this standard. Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

AS/NZS 1337.1:2010  
BMP# 714304  
EYE & FACE PROTECTION  
Not all configurations conform to this standard. Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

**CE 2797**  
**UK 0086**

EN14594:2005 3B  
EN12941:1998 +A2:2008  
TH3 P R SL  
RESPIRATORY PROTECTION

EN352-3:2002  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.

EN397:2012+A1:2012  
HARD HAT PROTECTION  
Conforms to impact and optional clauses. Not all configurations conform to this standard. Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

EN812:2012  
BUMP CAP PROTECTION  
Not all configurations conform to this standard. Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

EN166:2001 CLASS 1F3  
EYE & FACE PROTECTION  
Not all configurations conform to this standard. Please visit [rpbsafety.com](http://rpbsafety.com) for more details.



For more information visit  
[rpbsafety.com/t-link](http://rpbsafety.com/t-link)

# Build Your RPB® T-Link® Respirator

Note: Not all configurations may be available in your region.

## 1 Choose Your Headtop



T-Link Bump Cap



T-Link Hard Hat

## 2 Choose Your Cape



**Tychem® 2000**  
Includes tuck-in double bib.



**Tychem® 4000 with Sealed Seams**  
Includes tuck-in double bib.



**Tychem® 4000 Extra Length with Sealed Seams, 0.40 Lens**  
Includes tuck-in double bib.

## 3 Choose Your Air Supply



**PX5® (PAPR)**  
HEPA, OV/AG/HE, Multi-Gas/HE, A2P, ABE1P & ABEK1P gas cartridges/filters available.



**HX5™ (PAPR)**  
HEPA filters available.



**C40™ Climate Control Device (SAR)**

## 4 Choose Your Upgrades



**Vision-Link™ 650 lumen helmet lighting system**



**Comfort-Link™**  
Side padding system  
Comes standard with CE Headtop.



**Peel-off Lens**  
Available in packs of 25.



**Clear-Vision Cassette Lens**  
7 layers. Available in packs of 10.



**Tychem® Hose Cover**  
Breathing tube not included.



**Comms-Link™** In-helmet communication system

**BUILD & PRICE  
YOUR RESPIRATOR**

Visit [rpbsafety.com/t-link/build](https://rpb.com/rpbsafety.com/t-link/build)  
or give us a call  
**1-866-494-4599**



Protecting you for life's best moments.

# RPB® T200™ RESPIRATOR

## Protection designed for movement.

The RPB T200 supports true freedom of movement in your application, allowing you to navigate your surroundings without any restrictions. Designed for function, comfort and durability, the T200 ensures your protection so you can focus on the job at hand.

Made for customization, the T200's head harness features multiple adjustment points, allowing you to change the fitting to suit the contours and shape of your head. Through the secure fit and streamlined framework, the T200 maximizes stability, relieving you of aches and strains on your neck and the effects of fatigue.

With the large clear visor, experience an uncompromised field of view, allowing for greater precision and accuracy with your work. The T200 also features an adjustable lens and air duct positioning to accommodate for different facial features and the use of prescription lens glasses.

Get more out of your role with respiratory protection that supports, not restricts you. Experience more with RPB.

The T200 offers superior protection in all key areas:



Respiratory



Eye



Face/Neck



Protecting you for life's best moments.



## Features & Benefits

Moveable lens and airduct positioning to accommodate for different facial features and optical aids. ■

Large viewing window for exceptional downward and peripheral vision allowing for both verbal and non-verbal communication. ■

Optional peel-off lenses are available to protect visor lens and to quickly clear your field of view.

All parts can be purchased individually for ease of maintenance and servicing.

Soft inner neck seal for extra comfort. ■

DuPont™ Tychem® 2000 available in face seal, medium and full length hood options. Full length hood also available in DuPont™ Tychem® 4000. ■

Full length hoods have tuck-in double bib system to allow one to be tucked in for extra protection.

■ Deconable head suspension system and disposable hood.

■ Customizable head suspension system includes an adjustable ratchet at the back and over-the-head straps to allow for a secure, individualized fit.



Shown without cape for marketing purposes only >>

■ Breathing tube easily attaches to respirator and swivels to eliminate tangles. Centralized location ensures even weight distribution. Tychem® breathing tube cover available to increase its life and to make cleaning easier.



Protecting you for life's best moments.

For more information visit [rpbsafety.com/t200](http://rpbsafety.com/t200)

## Certifications

**ISO9001**  
CERTIFIED COMPANY

**NIOSH**  
National Institute for Occupational Safety and Health  
PAPR & SAR Type C

**ANSI**  
S3.19  
HEARING PROTECTION  
Only in conjunction with 18-524 earmuffs.

Z87  
EYE & FACE PROTECTION  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

PRODUCT CERTIFICATION  
  
BSI Certified Product  
AS/NZS 1716:2012  
BMP# 714303  
RESPIRATORY PROTECTION


AS/NZS 13371:2010  
BMP# 714304  
EYE & FACE PROTECTION  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](http://rpbsafety.com) for more details.

**CE 2797**  
**UK 0086**

EN12941:1998 +A2:2008  
TH3 P R SL  
RESPIRATORY PROTECTION

EN352-1:2002  
HEARING PROTECTION  
Only in conjunction with 18-524 earmuffs.

EN166:2001 CLASS 1F3  
EYE & FACE PROTECTION  
Not all configurations conform to this standard.  
Please visit [rpbsafety.com](http://rpbsafety.com) for more details.



# Build Your RPB® T200™ Respirator

Note: Not all configurations may be available in your region.

## Your Headtop



## 1 Choose Your Cape



→ Tychem® 2000 Face Seal



→ Tychem® 2000 Shoulder Length Hood with Face Seal



→ Tychem® 2000 (or 4000) with Sealed Seams Full Hood with Neck Seal  
Includes tuck-in double bib.

## 2 Choose Your Air Supply



→ PX5® (PAPR)  
HEPA, OV/AG/HE, Multi-Gas/HE, A2P, ABE1P & ABEK1P gas cartridges/filters available.



→ HX5™ (PAPR)  
HEPA filters available.



→ C40™ Climate Control Device (SAR)



→ Constant Flow Valve (SAR)

## 3 Choose Your Upgrades



→ Tychem® Hose Cover  
Breathing tube not included.



→ Bump Cap  
Available with comfort and brow pad, and front strap.



→ Clear-Vision Cassette Lens  
7 layers. Available for full length hoods, in packs of 10.



→ Clear-Vision Cassette Lens  
7 layers. Available for face seal hoods, in packs of 10.



→ Peel-off Lens  
Available in packs of 25.



→ Quiet-Slim™ Earmuffs

**BUILD & PRICE  
YOUR RESPIRATOR**

Visit [rpbsafety.com/t200/build](http://rpbsafety.com/t200/build)  
or give us a call  
1-866-494-4599



Protecting you for life's best moments.

# RPB® Z-LINK® RESPIRATOR

## Ultimate versatility.

The RPB Z-Link provides you with ultimate versatility in your painting and coating environment. With unrivalled comfort, the Z-Link enhances your experience of protection and safety, while allowing you to do more in your role. The Z-Link is more than a respirator, it's part of the team.

The Z-Link's large visor design enables you to experience uncompromised downward and peripheral vision which enables you to clearly see your work, reducing the number of mistakes made and the need for rework. The Z-Link also combines a visor that hinges open so you can easily and quickly communicate with your team (as and when appropriate).

Equipped with a padded headliner and head suspension system, the Z-Link's weight is evenly distributed, relieving you of aches and strains on your neck and shoulders. Being fully adjustable ensures a customizable and secure fit for all head sizes, maximizing stability and ensuring the respirator always moves with your head. Our innovative design ensures you have an unrestricted range of movement, so you focus on your job at hand.

The Z-Link offers superior protection in all key areas:




Respiratory



Eye



Hearing



Face/Neck



Hard Hat



Protecting you for life's best moments.



## Features & Benefits

Padded interior with adjustable ratchet system ensures a perfect, customized fit that supports movement, increasing comfort and productivity.

The optional Comfort-Link™ system provides extra comfort and stability providing optimum weight distribution.

Air flow and distribution is fully adjustable with the air deflector system to suit personal preference.

Large viewing window for exceptional downward and peripheral vision.

Optional tear-off lenses are available to protect visor lens and to quickly clear your field of view.

ANSI Z87+ approved safety lens (EN166).

Multiple lens colors available.

Fixed jaw ensures the cape securely attaches.

ANSI Z89.1 certified hard hat (EN397).

Deconable head suspension system and disposable cape.

Visor hinges open for easy communication with the team (outside of respiratory hazards).

All parts can be purchased individually for ease of maintenance and servicing.

Two cape materials available: DuPont™ Tychem® 2000 or DuPont™ Tychem® 4000. Tychem® breathing tube cover available to increase the life of the breathing tube.

Welding visor, radiant heat visor and cape options are available for your Z-Link respirator so you can extend your product's capabilities in other applications.

## Certifications

ISO9001  
CERTIFIED COMPANY

National Institute for Occupational Safety and Health  
**NIOSH**  
PAPR & SAR Type C

**ANSI**  
S3.19  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.

Z89.1  
HARD HAT PROTECTION  
Type 1 Class G  
Z87+  
EYE & FACE PROTECTION

PRODUCT CERTIFICATION  
  
BSI Certified Product  
AS/NZS 1716:2012  
BMP# 714303  
RESPIRATORY PROTECTION

AS/NZS 1801:1997  
BMP# 714306  
HARD HAT PROTECTION

AS/NZS 1337.1:2010  
BMP# 714304  
EYE & FACE PROTECTION

CE 2797  
UK 0086

EN14594:2005 3B  
EN12941:1998  
+A2:2008 TH3/2/1 P R SL  
RESPIRATORY PROTECTION  
See instruction manual for protection levels.

EN352-3:2002  
HEARING PROTECTION  
Only in conjunction with 18-533 earmuffs.

EN397:2012+A1:2012  
HARD HAT PROTECTION  
Conforms to impact and optional clauses.

EN166:2001 CLASS 1 BT 9 3  
EYE & FACE PROTECTION

  
Certified Model  
Modèle certifié

CSA Z94.3-15  
EYE & FACE PROTECTION  
Class 7D Respirator Facepiece  
PROTECTION DES YEUX  
ET DU VISAGE  
Masque respiratoire classe 7D

**MADE IN THE USA**  
\*From local & globally sourced components



Protecting you for life's best moments.

For more information visit  
[rpbsafety.com/z-link](http://rpbsafety.com/z-link)

# Build Your RPB® Z-Link® Respirator

Note: Not all configurations may be available in your region.

## Your Headtop



## 1 Choose Your Cape



→ Tychem® 2000 Face Seal



→ Tychem® 4000 Shoulder Cape

## 2 Choose Your Air Supply



→ PX5® (PAPR)  
HEPA, OV/AG/HE, Multi-Gas/HE, A2P, ABE1P & ABEK1P gas cartridges/filters available.



→ HX5™ (PAPR)  
HEPA cartridges/filters available.



→ C40™ Climate Control Device (SAR)



→ Constant Flow Valve (SAR)

## 3 Choose Your Upgrades



Tychem® Hose Cover  
Breathing tube not included.



Comfort-Link™  
Side padding system



Vision-Link™ 650 lumen  
helmet lighting system



Comms-Link™ In-helmet  
communication system



Tear-off Lens  
Available in packs of 50.



Quiet-Link™ Ear Defenders  
US Patent No. US D788,991 S.

**BUILD & PRICE  
YOUR RESPIRATOR**

Visit [rpbsafety.com/z-link/build](https://rpbsafety.com/z-link/build)  
or give us a call  
1-866-494-4599



Protecting you for life's best moments.

# POWERED AIR PX5® PAPR

## Respiratory protection reimagined.

The RPB PX5 changes the way people experience clean filtered air across multiple industries – from medical and chemical settings, through to the profoundly harsh environments of foundries.

The PX5 is the result of years of product refinement, designed with new functional capabilities that increase performance while enhancing the way you experience comfort. The PX5 redefines what it means to be a powered air purifying respirator.

Boasting a robust yet compact design, the PX5 weighs from just 2.55lbs (1.16kg) with the HEPA filter fitted, and between 3.65lbs (1.65kg) and 3.75lbs (1.7kg) with a gas cartridge/filter fitted. With strategic weight distribution through its vertical mounting position and support from our flexi-belt system, the PX5 contours to your body to maximize comfort and stability.

Designed with sleek considered surfaces, and a quick release mount lock system for ease of decontamination, the PX5 is certified to IP65 rating in use.



Protecting you for life's best moments.



## Features & Benefits

The PX5 weighs from just 2.55lbs (1.16kg) with the HEPA filter fitted, and between 3.65lbs (1.65kg) and 3.75lbs (1.7kg) with a gas cartridge/filter fitted. The sleek and compact design maximizes your experience of comfort through its strategic vertical mount position while contouring to your body with our flexi-belt system.

Visual, audible and vibrating alarms alert you when the battery level is low, or when airflow falls below the minimum requirements due to the filter needing replacing or when airflow is obstructed.

Intuitive LED user interface indicates airflow, fan speed and battery level.  
Three fan speeds available.



The PX5 unit attaches to our flexi-belt system (fitted with the easy clean decon belt) via our intuitive mount lock system. The unit easily removes for a quick and simple decontamination process.



PAPR backpack assembly option available for applications that require a greater range of movement and work across varied angles.



Protecting you for life's best moments.

## Certifications

**ISO9001**  
CERTIFIED COMPANY

**NIOSH**  
National Institute for Occupational Safety and Health  
Only in conjunction with approved respirator.

**CE 2797**  
**UK 0086**

EN12941:1998 +A2:2008  
TH3/2/1 P R SL  
RESPIRATORY PROTECTION  
Only in conjunction with approved respirator.  
See instruction manual for protection levels.

PRODUCT CERTIFICATION  
**BSI**  
BSI Certified Product  
AS/NZS 1716:2012  
BMP# 714303  
RESPIRATORY PROTECTION


■ Cartridge/Filter Safety - The cartridge/filter door cannot mount to the unit unless the cartridge/filter is fixed in place.

■ HEPA filter - removes up to 99.97% of particulates down to 0.12 microns. Gas filter - protects against organic vapor exposure.

Replace the pre-filter daily to extend the life of the main cartridge/filter.



HEPA Filter



OV/AG/HE, Multi-Gas/HE, A2P, ABE1P & ABEK1P Cartridges/Filters

■ Ingress Protection - With a completely sealed housing, the PX5 has been certified to IP65 rating in use.

■ Sealed inside the unit during operation, the long-life lithium-ion battery is protected from moisture when decontaminating and will not disconnect or bump off while operating.



For more information visit  
[rpbsafety.com/px5](http://rpbsafety.com/px5)

# POWERED AIR HX5™ PAPR

## Simplifying your protection.

With the simple press of a button, experience clean filtered air in an instant as the HX5 removes up to 99.97% of particulates down to 0.12 microns from your breathing air - making the HX5 ideal across a wide range of applications.

Through its robust housing, the HX5 is able to withstand the physical demands of multiple applications, while incorporating sleek considered surfaces for ease of cleaning. With the HX5's vertical mounting positioning, this enhances your experience of comfort as this evenly distributes its weight to help relieve you of the effects of fatigue.

The HX5 simplifies your protection, so you can focus on the task at hand.



Protecting you for life's best moments.





## Features & Benefits

Weighing from just 2.55lbs with the HE filter fitted, the sleek, lightweight and compact design maximizes your experience of comfort. Through vertical mounting, the HX5 contours to you and the flexi-belt system ensures its support.

Visual and audible alarms alert you when the battery level is low, or when airflow falls below the minimum requirements due to the filter needing replacing or when airflow is obstructed. Fixed fan speed for ease of use.

The HX5 unit attaches via our intuitive mount lock system, allowing the unit to be easily removed when wiped down for cleaning and decontamination purposes.




PAPR backpack assembly option available for applications that require a greater range of movement and work across varied angles.

Ingress protection – The HX5 is certified to IP53, allowing it to withstand dust and rainfall.



Filter Safety - The filter door cannot mount to the unit unless a cartridge/filter is fixed in place.

HE filter removes up to 99.97% of particulates down to 0.12 microns. Replace the pre-filter daily to extend the life of the main filter.



Sealed inside the unit during operation, the long-life lithium-ion battery is protected and will not disconnect or bump off while operating.



Protecting you for life's best moments.

## Certifications

ISO9001  
CERTIFIED COMPANY

National Institute for  
Occupational Safety and Health  
**NIOSH**  
Only in conjunction with approved respirator.



For more information visit  
[rpbsafety.com/hx5](http://rpbsafety.com/hx5)

# SUPPLIED AIR SOLUTIONS

## Air monitoring, filtration, and supply.

Our supplied air and air monitoring range gives you the confidence that the air you breathe is safe.

Detecting toxic gases, filtering the air supply, and controlling supplied air temperatures helps to remove safety concerns and discomfort, enabling you to sustain a higher level of performance for longer. Experience the RPB difference with our supplied air and air monitoring range.



## Features & Benefits C40™ Climate Control Device

The C40 heats and cools supplied air to suit your environment. Cool incoming air by up to 52°F (29°C) or heat it by up to 33°F (18°C) or any range in between simply by sliding the lever.

The C40 increases your safety and comfort, by keeping you at your optimum temperature, so you don't suffer heat exhaustion or chilling.

Made from lightweight, robust materials - weighs 11.6 ounces (329g), including belt.

■ Easily control your temperature with the slide of a lever.

■ Air inlet swivels 360° to sit comfortably on your hip.

■ Exhausted air is directed away from your body, eliminating the need for a heat shield.



Protecting you for life's best moments.

US Patent No. US 9,599,372.

## Radex® Airline Filter

The Radex airline filter exceeds industry standards. With its large capacity 6-stage filter cartridge that removes moisture, odor and particulates you can be assured you and your team won't suffer the consequences of breathing contaminated air.



## GX4® Gas Monitor

The GX4 gives you complete confidence that the air you and your team are breathing in is safe. Detecting up to four gases simultaneously (including, CO, O<sub>2</sub> & H<sub>2</sub>S) while displaying in real time the air quality through any connected device.



## RPB® RZ Fitting

The RZ fitting is proprietary to RPB and has been designed to be incompatible with any other fittings on the market. It will only connect to an RPB breathing air system, giving you peace of mind that the air you are breathing is safe.



For more information visit  
[rpb-safety.com/air-monitoring-filtration-supply](http://rpb-safety.com/air-monitoring-filtration-supply)

Protecting people  
for life's best moments  
drives everything we do.



# WANT TO KNOW MORE? CONTACT US

[rpbsafety.com/industrial](https://rpbsafety.com/industrial)

Request a quote [rpbsafety.com/industrial/request-a-quote](https://rpbsafety.com/industrial/request-a-quote)

Start your 30 day trial [rpbsafety.com/industrial/buy-to-try](https://rpbsafety.com/industrial/buy-to-try)

Or call us toll-free at **1-866-494-4599**



[youtube.com/rpbsafety](https://youtube.com/rpbsafety)



[linkedin.com/company/rpbsafety](https://linkedin.com/company/rpbsafety)



## WARNING

## PRODUCT SELECTION

- 1. Determine what type of protection is required for your activity.** As applicable, check your workplace safety program, respiratory protection program, and standards and regulations for your activity or industry.
  - 2. Check product specifications.** Contact RPB® or check the product instruction manual (downloadable from [rpbsafety.com](https://rpbsafety.com)) for complete specifications, including approvals, standards, and regulations to which the product conforms.
  - 3. Make sure you have a complete system.** Verify that you have or are purchasing all required components. System requirements are available from RPB® or in product instruction manuals.
- Selecting inappropriate or incomplete equipment, including the use of counterfeit or non-RPB® parts, can result in inadequate protection and will void the NIOSH approval of the entire respirator.**

Copyright ©2022 RPB IP, LLC. All rights reserved.

All materials contained in this publication are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of RPB IP, LLC. You may not alter or remove any trademark, copyright or other notice from copies of the content.

### Trademarks and Other Intellectual Property

All trademarks, service marks, and logos used in this publication, both registered and unregistered, are the trademarks, service marks, or logos of their respective owners. The green and gray color combination is a registered trademark of RPB IP, LLC. All rights in the RPB Intellectual Property contained in this publication, including copyright, trademarks, service marks, trade secret, and patent rights are reserved. RPB Intellectual Property means any patent, patented articles, patent applications, designs, industrial designs, copyrights, software, source code, database rights, moral rights, inventions, techniques, technical data, trade secrets, know-how, brands, trademarks, trade names, slogans, logos, and any other common law and proprietary rights, whether registered or unregistered anywhere in the world, that are owned by, developed in whole or in part by, or licensed by RPB IP, LLC.

DuPont™ Tychem® is a registered trademark of E.I. du Pont de Nemours and Company or its affiliates.



Protecting you for life's best moments.